



Excalibur

**Stainless Steel Sinks
and Accessories**

Effective January 1, 2026



2026 Product Catalogue Excalibur Sinkware

REVISION 2



Excalibur *Hand Fabricated Stainless Sinks*

Index

1 | Top Mount



2 | Under Mount



3 | Apron Front



4 | Large Bowl "Max"



5 | Aspire 18 Gauge Under Mount Accessorized



6 | Aspire 16 Gauge Under Mount Accessorized



7 | Accessories



8 | Addenda:


- Sink & Accessory Cross Reference
- Use & Care Tips





One

Hand Fabricated Top Mount



Excalibur




Hand Fabricated, Top Mount Sinks, 18 Gauge, 10mm Radius, Standard Bowl



EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ESLF2016-8



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 14, 8" deep.

10mm radius corners.

Creased lines on bottom to improve drainage.

Rear drain waste hole location.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ESLF2016-8-1).


Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2016-8-3).

Finish: Satin bowl and deck.

24" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESLF2020-8



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 18, 8" deep.

10mm radius corners.

Creased lines on bottom to improve drainage.

Rear drain waste hole location.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ESLF2020-8-1).


Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2020-8-3).

Finish: Satin bowl and deck.

24" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESLF2031-8



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 29, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ESLF2031-8-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2031-8-3).


Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2031-8-4).

Finish: Satin bowl and deck.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESLF2225-8



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 17 x 23, 8" deep.

10mm radius corners.

Creased lines on bottom to improve drainage.

Rear drain waste hole location.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ESLF2225-8-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2225-8-3).

Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2225-8-4).

Finish: Satin bowl and deck.

27" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Hand Fabricated, Top Mount Sinks, 18 Gauge, 10mm Radius, Standard Bowl

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ESLF2225-10



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 17 x 23, 10 deep.

10mm radius corners.

Creased lines on bottom to improve drainage.

Rear drain waste hole location.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ESLF2225-10-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2225-10-3).


Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ESLF2225-10-4).

Finish: Satin bowl and deck.

27" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECLF2027-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 8" deep

Small bowl - 16 x 10, 8" deep.

10 mm radius corners, flush divide centre separation.

Rear drain waste hole location.

Ceased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ECLF2027-8-FD-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2027-8-FD-3).


Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2027-8-FD-4).

Finish: Satin bowls and deck.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECLF2027-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 8" deep

Small bowl - 16 x 10, 8" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ECLF2027-8-LD-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2027-8-LD-3).

Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2027-8-LD-4).


Finish: Satin bowls and deck.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.



ECLF2031-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 8" deep

Small bowl - 16 x 10, 8" deep.

10 mm radius corners, flush divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ECLF2031-8-FD-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2031-8-FD-3).


Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2031-8-FD-4).

Finish: Satin bowls and deck.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECLF2031-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 8" deep

Small bowl - 16 x 10, 8" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (ECLF2031-8-LD-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2031-8-LD-3).


Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2031-8-LD-4).

Finish: Satin bowls and deck.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDLF2031-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 8" deep.

10 mm radius corners, flush divide centre separation.

Rear drain waste hole location, creased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (EDLF2031-8-FD-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (EDLF2031-8-FD-3).


Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (EDLF2031-8-FD-4).

Finish: Satin bowls and deck.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDLF2031-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 8" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location. Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Standard drilling: 1 hole on centre, 1 1/2" diameter (EDLF2031-8-LD-1).

Option: 3 holes, 1 1/2" diameter, 4" centre-to-centre (EDLF2031-8-LD-3).

Option: 4 holes, 1 1/2" diameter, 4" centre-to-centre (EDLF2031-8-LD-4).

Finish: Satin bowls and deck.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 14, 8" deep
(41 x 35, 20 cm deep)
- **Overall size** - 20 1/2 x 16, 8" deep
(52 x 41, 20 cm deep)
- Rear drain location
- 10mm radius corners
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre: (ESLF2016-8-3)
- 1 hole on centre, 1 1/2" diameter: (ESLF2016-8-1)

Recommended minimum cabinet width:

- 18"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet: **EBGF1614**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 18, 8" deep
(41 x 45, 20 cm deep)
- **Overall size** - 20 1/2 x 20, 8" deep
(52 x 51, 20 cm deep)
- Rear drain location
- 10mm radius corners
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre:
(ESLF2020-8-3)
- 1 hole on centre, 1 1/2" diameter:
(ESLF2020-8-1)

Recommended minimum cabinet width:

- 24"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet:
EBGF1618
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board:
ECB1810
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers
certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1618 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 29, 8" deep
(41 x 73, 20 cm deep)
- **Overall size** - 20 1/2 x 31 1/4, 8" deep
(52 x 80, 20 cm deep)
- Rear drain location
- 10mm radius corners
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre: (ESLF2031-8-3)
- 1 hole on centre, 1 1/2" diameter: (ESLF2031-8-1)

Recommended minimum cabinet width:

- 33"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet: **EBGF1629**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1629 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 23, 8" deep
(43 x 58, 20 cm deep)
- **Overall size** - 22 x 25, 8" deep
(56 x 64, 20 cm deep)
- Rear drain location
- 10mm radius corners
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre:
(ESLF2225-8-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre:
(ESLF2225-8-4)
- 1 hole, on centre, 1 1/2" diameter:
(ESLF2225-8-1)

Recommended minimum cabinet width:

- 27"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet:
EBGF1723
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board:
ECB1910
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers
certified by CSA



ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1723 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 23, 8" deep
(43 x 58, 20 cm deep)
- **Overall size** - 22 x 25, 8" deep
(56 x 64, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre:
(ESLF2225-10-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre:
(ESLF2225-10-4)
- 1 hole, on centre, 1 1/2" diameter:
(ESLF2225-10-1)

Recommended minimum cabinet width:

- 27"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet:
EBGF1723
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board:
ECB1910
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers
certified by CSA



ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1723 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 8" deep
(41 x 35 cm, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 20 1/2 x 27 1/4, 8" deep
(52 x 69, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre:
(ECLF2027-8-FD-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre:
(ECLF2027-8-FD-4)
- 1 hole, on centre, 1 1/2" diameter:
(ECLF2027-8-FD-1)

Recommended minimum cabinet width: 30"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet:
Large bowl: **EBGF1614**, Small bowl: **EBGF1610**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 8" deep
(41 x 45, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 20 1/2 x 31 1/4, 8" deep
(52 x 69, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2027-8-LD-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2027-8-LD-4)
- 1 hole on centre, 1 1/2" diameter (ECLF2027-8-LD-1)

Recommended minimum cabinet width:

- 30"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet
Large bowl: **EBGF1614**, Small bowl: **EBGF1610**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1610
Bottom Grid




Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 8" deep
(41 x 45, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 20 1/2 x 31 1/4, 8" deep
(52 x 80, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2031-8-FD-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre (ECLF2031-8-FD-4)
- 1 hole on centre, 1 1/2" diameter (ECLF2031-8-FD-1)



Recommended minimum cabinet width:

- 33"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet
Large bowl: **EBGF1618**
Small bowl: **EBGF1610**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- Reference document available:
Excalibur Sink Cross Reference to Accessories




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat




EBGF1618
Bottom Grid



EBGF1610
Bottom Grid

Certifications:

- Sinks CUPC certified by IAPMO, strainers certified by CSA



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 8" deep
(41 x 45, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 20 1/2 x 31 1/4, 8" deep
(52 x 80, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre:
(ECLF2031-8-LD-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre:
(ECLF2031-8-LD-4)
- 1 hole on centre, 1 1/2" diameter
(ECLF2031-8-LD-1)

Recommended minimum cabinet width: 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl: **EBGF1618**
Small bowl: **EBGF1610**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Reference document available:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid




Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Two equal bowls** - 16 x 14, 8" deep (41 x 35, 20 cm deep)
- **Overall size** - 20 1/2 x 31 1/4, 8" deep (52 x 80, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowls and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre: (EDLF2031-8-FD-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre: (EDLF2031-8-FD-4)
- 1 hole on centre, 1 1/2" diameter (EDLF2031-8-FD-1)



Recommended minimum cabinet width:

- 33"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat




EBGF1614
Bottom Grid



EBGF1614
Bottom Grid

Certifications:

- Sinks CUPC certified by IAPMO, strainers certified by CSA



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Two equal bowls** - 16 x 14, 8" deep
(41 x 35, 20 cm deep)
- **Overall size** - 20 1/2 x 31 1/4, 8" deep
(52 x 80, 20 cm deep)
- Rear drain location
- 10 mm radius corners
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Self-rimming with faucet ledge
- Satin bowl and deck

Faucet hole drilling:

- 3 holes, 1 1/2" diameter, 4" centre-to-centre:
(EDLF2031-8-LD-3)
- 4 holes, 1 1/2" diameter, 4" centre-to-centre:
(EDLF2031-8-LD-4)
- 1 hole on centre, 1 1/2" diameter:
(EDLF2031-8-LD-1)

Recommended minimum cabinet width:

- 33"

Inclusions:


- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Hold-down clips
- All sinks individually boxed

Optional Accessories:


- Stainless steel bottom grid with rubber feet:
EBGF1614 fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board:
ECB1810
- **Reference document available:**
Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid




EBGF1614
Bottom Grid





Two

Hand Fabricated Under Mount




Excalibur



Hand Fabricated, Standard Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ESUF1717-8



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 15 x 15, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

21" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1816-9



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 14, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

18" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1820-9



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 18, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

24" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1823-9



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 21, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

27" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1826-9



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 24, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1829-9



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 27, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1831-9



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 29, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1827-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 8" deep.

Small bowl - 16 x 10, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

30" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Hand Fabricated, Standard Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ECUF1827-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 8" deep.

Small bowl - 16 x 10, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1827-9-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1827-9-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1831-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 8" deep.

Small bowl - 16 x 10, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Hand Fabricated, Standard Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ECUF1831-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 8" deep.

Small bowl - 16 x 10, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1831-9-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1831-9-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDUF1831-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Hand Fabricated, Standard Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

EDUF1831-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDUF1831-9-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDUF1831-9-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 15 x 15, 8" deep
(43 x 38, 20 cm deep)
- **Overall size** - 17 x 15, 8" deep
(43 x 43, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 21"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1515**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA



ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1515
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Overall size** - 18 x 16, 9" deep
(45 x 41, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 18"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 18, 9" deep
(41 x 45, 23 cm deep)
- **Overall size** - 18 x 20, 9" deep
(45 x 50, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 24"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1618**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1618 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 21, 9" deep
(41 x 53, 23 cm deep)
- **Overall size** - 18 x 23, 9" deep
(45 x 58, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 27"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1621**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1621 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 24, 9" deep
(41 x 61, 23 cm deep)
- **Overall size** - 18 x 26, 9" deep
(45 x 66, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1624**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1624 Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 27, 9" deep
(41 x 68, 23 cm deep)
- **Overall size** - 18 x 29, 9" deep
(45 x 73, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1627**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1627
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 29, 9" deep
(41 x 74, 23 cm deep)
- **Overall size** - 18 x 29, 9" deep
(45 x 70, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1629**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1629
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 8" deep
(41 x 35, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 18 x 27, 8" deep
(45 x 69, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1614**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 8" deep
(41 x 35, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 18 x 27, 8" deep
(45 x 69, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1614**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 18 x 27, 9" deep
(45 x 69, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1614**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 18 x 27, 9" deep
(45 x 69, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1614**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 8" deep
(41 x 45, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 18 x 31, 8" deep
(45 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1618**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 8" deep
(41 x 45, 20 cm deep)
- **Small bowl** - 16 x 10, 8" deep
(41 x 25, 20 cm deep)
- **Overall size** - 18 x 31, 8" deep
(45 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1618**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 9" deep
(41 x 45, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 18 x 31, 9" deep
(45 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1618**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 9" deep
(41 x 45, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 18 x 31, 9" deep
(45 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1618**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 16 x 14, 8" deep
(41 x 35, 20 cm deep)
- **Overall size** - 18 x 31, 8" deep
(45 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1614
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 16 x 14, 8" deep (41 x 35, 20 cm deep)
- **Overall size** - 18 x 31, 8" deep (45 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1614
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Overall size** - 18 x 31, 9" deep
(45 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1614
Bottom Grid



Description:

- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 16 x 14, 9" deep (41 x 35, 23 cm deep)
- **Overall size** - 18 x 31, 9" deep (45 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid




EBGF1614
Bottom Grid






Three

Hand Fabricated Apron Front



Excalibur

ESAF2130-9


Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 27, 9" deep.

10 mm radius corners.

Flat front apron.

Rear drain waste hole location.


Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl, apron front and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESAF2133-9


Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 29, 9" deep.

10 mm radius corners.

Flat front apron.

Rear drain waste hole location.


Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl, apron front and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECAF2133-9-FD


Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Flat front apron.

Rear drain waste hole location.

Flush divide centre separation.


Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl, apron front and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECAF2133-9-LD


Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 18, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Flat front apron.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl, apron front and ledge.

33" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Apron Front, Hand Fabricated Sinks, 18 Gauge, 10mm Radius

 EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

EDAF2133-9-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

 **UPC®**

Two equal bowls - 16 x 14, 16 x 14, 9" deep.

10 mm radius corners.

Flat front apron.

Rear drain waste hole location.

Flush divide centre separation.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl, apron front and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDAF2133-9-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

 **UPC®**

Two equal bowls - 16 x 14, 16 x 14, 9" deep.

10 mm radius corners.

Flat front apron.

Rear drain waste hole location.

2" low divide centre separation.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl, apron front and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

Description:

- Apron Front Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 27, 9" deep
(41 x 69, 23 cm deep)
- **Overall size** - 20 3/4 x 29 3/4, 9" deep
(53 x 76, 23 cm deep)
- 10 mm radius corners
- Flat front apron
- Rear drain waste hole location
- Creased bottom for improved drainage
- Undercoating and sound deadening pads
- Satin finished bowl, apron front and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1627**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA



ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1627 Bottom Grid



Description:

- Apron Front Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 29, 9" deep
(41 x 74, 23 cm deep)
- **Overall size** - 20 3/4 x 32 3/4, 9" deep
(53 x 83, 23 cm deep)
- 10 mm radius corners
- Flat front apron
- Rear drain waste hole location
- Creased bottom for improved drainage
- Undercoating and sound deadening pads
- Satin finished bowl, apron front and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1629**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA



ECB1810
Countertop
Cutting Board



ERM1814
Countertop
Roll Mat



EBGF1629 Bottom Grid



Description:

- Apron Front Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl size** - 16 x 18, 9" deep (41 x 46, 23 cm deep)
- **Small bowl size** - 16 x 10, 9" deep (41 x 25, 23 cm deep)
- **Overall size** - 20 3/4 x 32 3/4, 9" deep (53 x 83, 23 cm deep)
- 10 mm radius corners
- Flat front apron
- Rear drain waste hole location
- Flush divide centre separation
- Creased bottom for improved drainage
- Undercoating and sound deadening pads
- Satin finished bowl, apron front and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1618**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid



Description:

- Apron Front Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl size** - 16 x 18, 9" deep (41 x 46, 23 cm deep)
- **Small bowl size** - 16 x 10, 9" deep (41 x 25, 23 cm deep)
- **Overall size** - 20 3/4 x 32 3/4, 9" deep (53 x 83, 23 cm deep)
- 10 mm radius corners
- Flat front apron
- Rear drain waste hole location
- 2" low divide centre separation to avoid spillage
- Creased bottom for improved drainage
- Undercoating and sound deadening pads
- Satin finished bowl, apron front and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: Large bowl **EBGF1618**, Small bowl **EBGF1610**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1618
Bottom Grid



EBGF1610
Bottom Grid



Description:

- Apron Front Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Two equal bowls** - 16 x 14, 9" deep (41 x 36, 23 cm deep)
- **Overall size** - 20 3/4 x 32 3/4, 9" deep (53 x 83, 23 cm deep)
- 10 mm radius corners
- Flat front apron
- Rear drain waste hole location
- Flush divide centre separation
- Creased bottom for improved drainage
- Undercoating and sound deadening pads
- Satin finished bowl, deck and apron front

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid



EBGF1614
Bottom Grid



Description:

- Apron Front Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Two equal bowls** - 16 x 14, 9" deep (41 x 36, 23 cm deep)
- **Overall size** - 20 3/4 x 32 3/4, 9" deep (53 x 83, 23 cm deep)
- 10 mm radius corners
- Flat front apron
- Rear drain waste hole location
- 2" low divide centre separation to avoid spillage
- Creased bottom for improved drainage
- Undercoating and sound deadening pads
- Satin finished bowl, deck and apron front

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1614** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1814**
- Hardwood countertop cutting board: **ECB1810**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1810
Countertop
Cutting Board




ERM1814
Countertop
Roll Mat



EBGF1614
Bottom Grid




EBGF1614
Bottom Grid





Four

Hand Fabricated Large Bowl “Max”




Excalibur



Large Bowl Max, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ESUF1912-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 10, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

15" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1916-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 14, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

18" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1920-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 18, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

24" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1923-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 21, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

27" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Large Bowl Max, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ESUF1926-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 24, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1929-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 27, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ESUF1931-8



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Single bowl - 17 x 29, 8" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1927-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Large bowl - 17 x 14, 8" deep.

Small bowl - 17 x 10, 8" deep.

10 mm radius corners.

Flush divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1927-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Large bowl - 17 x 14, 8" deep.

Small bowl - 17 x 10, 8" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.


Optional accessories available. Refer to specification page.



Large Bowl Max, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius

EA-114 basket strainer waste fitting included. Lifetime warranty on all sinks.

ECUF1931-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Large bowl - 17 x 18, 8" deep.

Small bowl - 17 x 10, 8" deep.

10 mm radius corners.

Flush divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

ECUF1931-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Large bowl - 17 x 18, 8" deep.

Small bowl - 17 x 10, 8" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDUF1931-8-FD



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Two equal bowls - 17 x 14, 8" deep.

10 mm radius corners.

Flush divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

EDUF1931-8-LD



Material - 18 gauge, 18-10 stainless steel, type 304.

UPC®

Two equal bowls - 17 x 14, 8" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Optional accessories available. Refer to specification page.

Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 10, 8" deep
(43 x 25, 20 cm deep)
- **Overall size** - 19 x 12, 8" deep
(48 x 30, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 15"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1710**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1710
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 14, 8" deep
(43 x 35, 20 cm deep)
- **Overall size** - 19 x 16, 8" deep
(48 x 40, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 18"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1714**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1714
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 18, 8" deep
(43 x 45, 20 cm deep)
- **Overall size** - 19 x 20, 8" deep
(48 x 50, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 24"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1718**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1718
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 21, 8" deep
(43 x 53, 20 cm deep)
- **Overall size** - 19 x 23, 8" deep
(48 x 58, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 27"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1721**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1721
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 24, 8" deep
(43 x 61, 20 cm deep)
- **Overall size** - 19 x 26, 8" deep
(48 x 66, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1724**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1724
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 27, 8" deep
(43 x 69, 20 cm deep)
- **Overall size** - 19 x 29, 8" deep
(48 x 74, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1727**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA



ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1727
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 17 x 29, 8" deep
(43 x 73, 20 cm deep)
- **Overall size** - 19 x 31, 8" deep
(48 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1729**
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1729
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 17 x 14", 8" deep
(43 x 35, 20 cm deep)
- **Small bowl** - 17 x 10, 8" deep
(43 x 25, 20 cm deep)
- **Overall size** - 19 x 27, 8" deep
(48 x 69, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1714**, Small bowl **EBGF1710**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1714
Bottom Grid



EBGF1710
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 17 x 14, 8" deep
(43 x 35, 20 cm deep)
- **Small bowl** - 17 x 10, 8" deep
(43 x 25, 20 cm deep)
- **Overall size** - 19 x 27, 8" deep
(48 x 69, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:

- 30"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1714**, Small bowl **EBGF1710**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1714
Bottom Grid



EBGF1710
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 17 x 18, 8" deep
(43 x 45, 20 cm deep)
- **Small bowl** - 17 x 10, 8" deep
(43 x 25, 20 cm deep)
- **Overall size** - 19 x 31, 8" deep
(48 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1718**, Small bowl **EBGF1710**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board



ERM1914
Countertop
Roll Mat



EBGF1718
Bottom Grid



EBGF1710
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 17 x 18, 8" deep
(43 x 45, 20 cm deep)
- **Small bowl** - 17 x 10, 8" deep
(43 x 25, 20 cm deep)
- **Overall size** - 19 x 31, 8" deep
(48 x 79, 20 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet:
Large bowl **EBGF1718**, Small bowl **EBGF1710**
- Stainless steel countertop roll mat with
silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board




ERM1914
Countertop
Roll Mat



EBGF1718
Bottom Grid



EBGF1710
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 17 x 14, 8" deep (43 x 35, 20 cm deep)
- **Overall size** - 19 x 31, 8" deep (48 x 79, 20 cm deep)
- 10 mm radius corners
- Centre rear drain location
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1714** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board




ERM1914
Countertop
Roll Mat



EBGF1714
Bottom Grid



EBGF1714
Bottom Grid



Description:

- Large Bowl Max Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 17 x 14, 8" deep (43 x 35, 20 cm deep)
- **Overall size** - 19 x 31, 8" deep (48 x 79, 20 cm deep)
- 10 mm radius corners
- Centre rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:

- Basket strainer: EA-114
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed


Optional Accessories:

- Stainless steel bottom grid with rubber feet: **EBGF1714** fits either bowl
- Stainless steel countertop roll mat with silicone wrapped bars: **ERM1914**
- Hardwood countertop cutting board: **ECB1910**
- **Models are listed on the Cross Reference section:**


Excalibur Sink Cross Reference to Accessories

Certifications:


- Sinks CUPC certified by IAPMO, strainers certified by CSA




ECB1910
Countertop
Cutting Board




ERM1914
Countertop
Roll Mat



EBGF1714
Bottom Grid




EBGF1714
Bottom Grid





Five

Aspire 18 Gauge Under Mount




Excalibur



Aspire 18 Accessorized, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius

EB-114 deep basket strainer waste fitting included. Lifetime warranty on all sinks.

ESUF1920-9-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 18, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

24" cabinet is recommended minimum.

Includes EB-114 strainer, bottom grid, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

ESUF1923-9-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 21, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

27" cabinet is recommended minimum.

Includes EB-114 strainer, bottom grid, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

ESUF1926-9-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 24, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Includes EB-114 strainer, bottom grid, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

ESUF1929-9-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 x 27, 9" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Includes EB-114 strainer, bottom grid, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.


Aspire 18 sinks are created with slide rails to hold included accessories



Aspire 18 Accessorized, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius

EB-114 deep basket strainer waste fitting included. Lifetime warranty on all sinks.

ECUF1927-9-FD-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Flush divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Includes EB-114 strainers, two bottom grids, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

ECUF1927-9-LD-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 x 14, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Includes EB-114 strainers, two bottom grids, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

ECUF1931-9-FD-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large Bowl - 16 x 18, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

Flush divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Includes EB-114 strainers, two bottom grids, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

ECUF1931-9-LD-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Large Bowl - 16 x 18, 9" deep.

Small bowl - 16 x 10, 9" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Includes EB-114 strainers, two bottom grids, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.


Aspire 18 sinks are created with slide rails to hold included accessories



Aspire 18 Accessorized, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius

EB-114 deep basket strainer waste fitting included. Lifetime warranty on all sinks.

EDUF1931-9-FD-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 9" deep.

10 mm radius corners.

Flush divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.


Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Includes EB-114 strainers, two bottom grids, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat

EDUF1931-9-LD-A18



Material - 18 gauge, 18-10 stainless steel, type 304.

cUPC®

Two equal bowls - 16 x 14, 9" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Includes EB-114 strainers, two bottom grids, and these fitted accessories:
drop-in hardwood cutting board and stainless steel roll mat.

Aspire 18 sinks are created with slide rails to hold included accessories

Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 18, 9" deep
(41 x 45, 23 cm deep)
- **Overall size** - 19 x 20, 9" deep
(48 x 51, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- Built-in ledges to hold accessories

Recommended minimum cabinet width:


- 24"

Inclusions:

- EB-114 deep basket strainer
- Stainless steel bottom grid
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO




EB-114




Strainer



Cutting Board



Roll Mat



Bottom Grid

Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 21, 9" deep
(41 x 53, 23 cm deep)
- **Overall size** - 19 x 23, 9" deep
(48 x 58, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- Built-in ledges to hold accessories

Recommended minimum cabinet width:


- 27"

Inclusions:

- EB-114 deep basket strainer
- Stainless steel bottom grid
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO




EB-114




Strainer



Cutting Board



Roll Mat



Bottom Grid

Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 24, 9" deep
(41 x 61, 23 cm deep)
- **Overall size** - 19 x 26, 9" deep
(48 x 66, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- Built-in ledges to hold accessories

Recommended minimum cabinet width:


- 30"

Inclusions:

- EB-114 deep basket strainer
- Stainless steel bottom grid
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO




EB-114




Strainer



Cutting Board



Roll Mat



Bottom Grid

Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 x 27, 9" deep
(41 x 69, 23 cm deep)
- **Overall size** - 19 x 29, 9" deep
(48 x 74, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- Built-in ledges to hold accessories

Recommended minimum cabinet width:


- 33"

Inclusions:

- EB-114 deep basket strainer
- Stainless steel bottom grid
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:


- Sinks and strainers CUPC certified through IAPMO




Strainer



Cutting Board



Roll Mat



Bottom Grid



Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 19 x 27, 9" deep
(48 x 69, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- Built-in ledges to hold accessories

Recommended minimum cabinet width:






- 30"

Inclusions:

- EB-114 deep basket strainer
- Stainless steel bottom grids
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO



Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 19 x 27, 9" deep
(48 x 69, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- Built-in ledges to hold accessories

Recommended minimum cabinet width:





- 30"

Inclusions:

- EB-114 deep basket strainer
- Stainless steel bottom grids
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO





Sink Model Specification: ECUF1931-9-FD-A18

Aspire 18 Accessorized, Hand Fabricated, Under Mount Sinks, 18 Gauge, 10mm Radius



Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 9" deep
(41 x 45, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 19 x 31, 9" deep
(48 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:


- 33"

Inclusions:


- EB-114 deep basket strainer
- Stainless steel bottom grids
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO



Cutting Board




Roll Mat


EB-114



Strainer



Bottom Grid



Bottom Grid



Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 x 18, 9" deep
(41 x 45, 23 cm deep)
- **Small bowl** - 16 x 10, 9" deep
(41 x 25, 23 cm deep)
- **Overall size** - 19 x 31, 9" deep
(48 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowls and ledge

Recommended minimum cabinet width:


- 33"

Inclusions:


- EB-114 deep basket strainer
- Stainless steel bottom grids
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Cutting Board




Roll Mat



Strainer



Bottom Grid



Bottom Grid





Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 16 x 14, 9" deep
(41 x 35, 23 cm deep)
- **Overall size** - 19 x 31, 9" deep
(48 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- Flush divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- **Built-in ledges to hold accessories**

Recommended minimum cabinet width:


- 33"

Inclusions:


- EB-114 deep basket strainer
- Stainless steel bottom grids
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO



Cutting Board




Roll Mat


EB-114



Strainer



Bottom Grid



Bottom Grid



Description:

- Aspire 18 Accessorized Sink
- 18 gauge, 18-10 stainless steel, type 304
- **Two equal size bowls** - 16 x 14, 9" deep (41 x 35, 23 cm deep)
- **Overall size** - 19 x 31, 9" deep (48 x 79, 23 cm deep)
- 10 mm radius corners
- Rear drain location
- Self-rimming ledge
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge
- **Built-in ledges to hold accessories**

Recommended minimum cabinet width:


- 33"

Inclusions:


- EB-114 deep basket strainer
- Stainless steel bottom grids
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Fitted hardwood cutting board
- Roll mat fitted to rails

Certifications:

- Sinks and strainers CUPC certified through IAPMO



Cutting Board




Roll Mat


EB-114



Strainer



Bottom Grid




Bottom Grid





Six

Aspire 16 Gauge Under Mount



Excalibur




Aspire 16 Accessorized, Hand Fabricated, Under Mount Sinks, 16 Gauge, 10mm Radius

EB-114 deep basket strainer waste fitting included. Lifetime warranty on all sinks.



ESUF1821-9-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 1/4 x 19", 9 1/2" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.


Finish: Satin bowl and ledge.

24" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grid, hanging utility basket and deep basket strainer.



ESUF1824-9-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 1/4 x 22" bowl - 9 1/2" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.


Finish: Satin bowl and ledge.

27" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grid, hanging utility basket and deep basket strainer.



ESUF1827-9-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 1/4 x 25", 9 1/2" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.


Finish: Satin bowl and ledge.

30" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grid, hanging utility basket and deep basket strainer.



ESUF1830-9-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Single bowl - 16 1/4 x 28", 9 1/2" deep.

10 mm radius corners.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grid, hanging utility basket and deep basket strainer.




Aspire 16 Accessorized, Hand Fabricated, Under Mount Sinks, 16 Gauge, 10mm Radius

EB-114 deep basket strainer waste fitting included. Lifetime warranty on all sinks.



ECUF1830-9-LD-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 1/4 x 17, 9 1/2" deep.

Small bowl - 16 1/4 x 10, 9 1/2" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.


Finish: Satin bowl and ledge.

33" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grids, hanging utility basket and deep basket strainer.



ECUF1833-9-LD-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Large bowl - 16 1/4 x 19".

Small bowl - 16 1/4 x 11, 9 1/2" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole location.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.


Finish: Satin bowl and ledge.

36" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grids, hanging utility basket and deep basket strainer.



EDUF1830-9-LD-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Two equal sized bowls, each 16 1/4 x 13 1/2", 9 1/2" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.


Finish: Satin bowls and ledge.

33" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grids, hanging utility basket and deep basket strainer.



EDUF1833-9-LD-A16



Material - 16 gauge 18-10 stainless steel, type 304.

cUPC®

Two equal sized bowls - 16 1/4 x 15", 9 1/2" deep.

10 mm radius corners.

2" low divide centre separation.

Rear drain waste hole locations.

Creased bottom for improved drainage.

Undercoating and sound deadening pads.

Finish: Satin bowls and ledge.

36" cabinet is recommended minimum.

Includes the following fitted accessories: stainless steel bottom grids, hanging utility basket and deep basket strainer.



Sink Model Specification: ESUF1821-9-A16

Aspire 16 Accessorized, Hand Fabricated, Under Mount Sinks, 16 Gauge, 10mm Radius



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 1/4 x 19, 9 1/2" deep (41 x 48 cm, 24 cm deep)
- **Overall size** - 18 1/4 x 21, 9 1/2" deep (46 x 53, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 24"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Shown with all included accessories



Utility Rack



Strainer



Bottom Grid



Sink Model Specification: ESUF1824-9-A16

Aspire 16 Accessorized, Hand Fabricated, Under Mount Sinks, 16 Gauge, 10mm Radius



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 1/4 x 22, 9 1/2" deep (41 x 60 cm, 24 cm deep)
- **Overall size** - 18 1/4 x 24, 9 1/2" deep (46 x 61, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 27"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Shown with all included accessories



Utility Rack



Strainer



Bottom Grid



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Bowl size** - 16 1/4 x 25, 9 1/2" deep
(41 x 64 cm, 24 cm deep)
- **Overall size** - 18 1/4 x 27, 9 1/2" deep
(46 x 69, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:


- 30"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Shown with all included accessories



Utility Rack



Strainer



Bottom Grid



Sink Model Specification: ESUF1830-9-A16

Aspire 16 Accessorized, Hand Fabricated, Under Mount Sinks, 16 Gauge, 10mm Radius



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Single Bowl** - 16 1/4 x 28, 9 1/2" deep (41 x 71 cm, 24 cm deep)
- **Overall size** - 18 1/4 x 30, 9 1/2" deep (46 x 76, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:


- 33"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Shown with all included accessories



Utility Rack



Strainer



Bottom Grid



Sink Model Specification: ECUF1830-9-LD-A16

Aspire 16 Accessorized, Hand Fabricated, Under Mount Sinks, 16 Gauge, 10mm Radius



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Large bowl** - 16 1/4 x 17", 9 1/2" deep (41 x 43 cm, 24 cm deep)
- **Small bowl** 16 1/4 x 10, 9 1/2" deep (41 x 25 cm, 24 cm deep)
- **Overall size** - 18 1/4 x 30, 9 1/2" deep (46 x 76, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Shown with all included accessories



Utility Rack



Strainer



Bottom Grids



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Large Bowl** - 16 1/4 x 19, 9 1/2" deep (41 x 48 cm, 24 cm deep)
- **Small Bowl** - 16 1/4 x 11, 9 1/2" deep (41 x 28, 24 cm deep)
- **Overall size** - 18 1/4 x 33, 9 1/2" deep (46 x 84, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 36"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO




Shown with all included accessories



Utility Rack



Strainer



Bottom Grids



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Two equal sized bowls** - 16 1/4 x 13 1/2, 9 1/2" deep (41 x 34 cm, 24 cm deep)
- **Overall size** - 18 1/4 x 30, 9 1/2" deep (46 x 76, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 33"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO





Shown with all included accessories



Utility Rack



Strainer



Bottom Grids



Description:

- Aspire 16 Accessorized Sink
- 16 gauge, 18-10 stainless steel, type 304
- **Two equal sized bowls** - 16 1/4 x 15, 9 1/2" deep (41 x 38, 24 cm deep)
- **Overall size** - 18 1/4 x 33, 9 1/2" deep (46 x 84, 24 cm deep)
- 10 mm radius corners
- Rear drain location
- 2" low divide centre separation
- Creased lines on bottom to improve drainage
- Satin bowl and ledge

Recommended minimum cabinet width:

- 36"

Inclusions:



- EB-114 deep basket strainer
- Undercoating and sound deadening pads
- Template
- Installation clips
- All sinks individually boxed
- Special X-pattern bottom grids
- Stainless steel utility rack

Certifications:

- Sinks and strainers CUPC certified through IAPMO





Shown with all included accessories



Utility Rack



Strainer




Bottom Grids



Seven

Accessory Specifications



Excalibur

SINK CROSS REFERENCE GUIDE


Most accessories are optional, but some are included in the Accessorized Sink category. Please refer to our cross reference guide called, EXCALIBUR GRID CROSS REFERENCE TO SINK MODEL, for details.

BOTTOM GRID

- 18 gauge, 18-10 stainless steel, type 304
- Grids fit within the sink bowl on the bottom

Grid Models Hand Fabricated

EBGF1515	EBGF1624	EBGF1721
EBGF1610	EBGF1627	EBGF1723
EBGF1614	EBGF1629	EBGF1724
EBGF1618	EBGF1710	EBGF1727
EBGF1621	EBGF1714	EBGF1729
EBGF1623	EBGF1718	




EXAMPLE
EBGF1627
Bottom Grid

ROLL MAT


- 18 gauge, 18-10 stainless steel, type 304 with silicone wrapping on 1/4" diameter rods
- Countertop roll mats extend 1" beyond the dimension of the bowl (front-to-back) and rest over the sink and onto the countertop

Roll Mat Models

ERM1814: 18" long x 14" wide
ERM1914: 19" long x 14" wide



ERM1814
Roll Mat



ERM1914
Roll Mat

HARDWOOD CUTTING BOARD

- Hardwood cutting board
- Easy care handwash
- Countertop cutting boards extend 1" beyond the dimension of the bowl (front-to-back) and rest over the sink

Cutting Board Models

ECB1810: 18" long x 10 1/2" wide
ECB1910: 19" long x 10 1/2" wide



ECB1810
Cutting Board



ECB1910
Cutting Board



BASKET STRAINER

- 3 1/2" basket strainers in three configurations
- Included with every sink

EA-114

- The EA-114 is the industry standard strainer, constructed of polypropylene with polypropylene crumb cup. Removable shallow waste basket and strainer assembly. This standard strainer readily fits the 3 1/2-inch drain of common plumbing systems. The removable standard shallow basket fits standard 3 1/2" drains and is dishwasher safe. A 4" tailpiece is included. Approved to CSA Standards.

EB-114

- The EB-114 strainer has a deep pull-out basket and is constructed of 18/8, type 304 stainless steel. Fits standard 3 1/2" drains and is dishwasher safe. A 4" tailpiece is included. IAPMO approved to CUPC.

ES-114

- The ES-114 is the industry standard, all metal strainer with a stainless steel 4-inch tailpiece, constructed of 18/8, type 304 stainless steel. Removable shallow waste basket and strainer assembly. This standard strainer readily fits the 3 1/2-inch drain of common plumbing systems. The removable standard shallow basket fits standard 3 1/2" drains and is dishwasher safe. A 4" tailpiece is included. Approved to CSA Standards.

EA-114
Shallow StrainerES-114
Shallow StrainerEB-114
Deep Strainer**Basket Strainer Models**


EA-114 polypropylene construction, shallow basket
EB-114 stainless steel construction, deep basket
ES-114 all metal construction, shallow basket





Eight

Sink & Accessory Cross Reference



Excalibur



Excalibur SINKS Cross Referenced to ACCESSORIES

SINK MODEL	GRID for LARGE BOWL	GRID for SAME or SMALLER BOWL	ROLL MAT	CUTTING BOARD
------------	------------------------	-------------------------------------	----------	---------------

Category 1 - Hand Fabricated, Top Mounts, 18 Gauge, 10mm Radius

ESLF2016-8	EBGF1614		ERM1814	ECB1810
ESLF2020-8	EBGF1618		ERM1814	ECB1810
ESLF2031-8	EBGF1629		ERM1814	ECB1810
ESLF2225-8, ESLF2225-10	EBGF1723		ERM1914	ECB1910
ECLF2027-8-FD, ECLF2027-8-LD	EBGF1614	EBGF1610	ERM1814	ECB1810
ECLF2031-8-FD, ECLF2031-8-LD	EBGF1618	EBGF1610	ERM1814	ECB1810
EDLF2031-8-FD, EDLF2031-8-LD	EBGF1614	EBGF1614	ERM1814	ECB1810

Category 2 - Hand Fabricated, Standard Under Mount Sinks 18 Gauge, 10mm Radius

ESUF1717-8	EBGF1515		ERM1814	ECB1810
ESUF1816-8	EBGF1614		ERM1814	ECB1810
ESUF1816-9	EBGF1614		ERM1814	ECB1810
ESUF1820-8	EBGF1618		ERM1814	ECB1810
ESUF1820-9	EBGF1618		ERM1814	ECB1810
ESUF1823-8	EBGF1621		ERM1814	ECB1810
ESUF1823-9	EBGF1621		ERM1814	ECB1810
ESUF1826-8	EBGF1624		ERM1814	ECB1810
ESUF1826-9	EBGF1624		ERM1814	ECB1810
ESUF1829-8	EBGF1627		ERM1814	ECB1810
ESUF1829-9	EBGF1627		ERM1814	ECB1810
ESUF1831-8	EBGF1629		ERM1814	ECB1810
ESUF1831-9	EBGF1629		ERM1814	ECB1810
ECUF1831-8-FD, ECUF1831-8-LD	EBGF1618	EBGF1610	ERM1814	ECB1810
EDUF1831-8-FD, EDUF1831-8-LD	EBGF1614	EBGF1614	ERM1814	ECB1810
EDUF1831-9-FD, EDUF1831-9-LD	EBGF1614	EBGF1614	ERM1814	ECB1810



Excalibur Sink Cross Reference to Accessories Guide (continued)

SINK MODEL	GRID for LARGE BOWL	GRID for SAME or SMALLER BOWL	ROLL MAT	CUTTING BOARD
------------	------------------------	-------------------------------------	----------	---------------

Category 3 - Apron Front Sinks, Hand Fabricated, 18 Gauge, 10 mm Radius

ESAF2130-9	EBGF1627		ERM1814	ECB1814
ESAF2133-9	EBGF1629		ERM1814	ECB1814
ECAF2133-9-FD, ECAF2133-9-LD	EBGF1618	EBGF1610	ERM1814	ECB1814
EDAF2133-9-FD, EDAF2133-9-LD	EBGF1614	EBGF1614	ERM1814	ECB1814

Category 4 - Large Bowl Max, Hand Fabricated, Under Mounts, 18 Gauge, 10mm Radius

ESUF1912-8	EBGF1710		ERM1914	ECB1910
ESUF1916-8	EBGF1714		ERM1914	ECB1910
ESUF1920-8	EBGF1718		ERM1914	ECB1910
ESUF1923-8	EBGF1721		ERM1914	ECB1910
ESUF1926-8	EBGF1724		ERM1914	ECB1910
ESUF1929-8	EBGF1727		ERM1914	ECB1910
ESUF1931-8	EBGF1729		ERM1914	ECB1910
ECUF1927-8-FD, ECUF1927-8-LD	EBGF1714	EBGF1710	ERM1914	ECB1910
ECUF1931-8-FD, ECUF1931-8-LD	EBGF1718	EBGF1710	ERM1914	ECB1910
EDUF1931-8-FD, EDUF1931-8-LD	EBGF1714	EBGF1714	ERM1914	ECB1910



Excalibur *Stainless*

8 Tips for Keeping Your Excalibur Stainless Looking Its Best

- 1. Always use a damp cloth and soapy water,** or a mild, non-abrasive cleaning liquid, to prevent dirt and limescale buildup in your Excalibur sink.
- 2. Rinse your Excalibur stainless with water after every use,** and polish dry with a soft cloth or tea towel.
- 3. Never use harsh detergents,** abrasive cleansers, or scouring pads, like steel wool.
- 4. Never use bleaches containing hypochlorite,** or silver dip cleaners in your Excalibur sink.
- 5. Never allow corrosive chemicals** like photo developing liquids or denture cleansers to come in contact with your Excalibur stainless – and if they do, wash them away immediately with water.
- 6. Never let food and scraps sit in your Excalibur stainless for prolonged periods** – especially acidic foods like lemons, oranges, citrus fruit juices, salt, vinegar, mustard, pickles or mayonnaise, but even seemingly benign foods like tea, coffee grounds and pasta sauce, which can cause corrosion.
- 7. Never leave cooking implements in your Excalibur stainless** – especially in standing water, as iron particles from your pots and pans can cause temporary rust staining. (Remove stubborn rust stains using a mild cleaning agent – such as Barkeepers Friend, which is the brand of powdered product we recommend for cleaning your sink.)
- 8. Use stainless steel cream** – such as Rejuvenate or Weiman – or stainless steel repair kit to restore your Excalibur sink's forgiving Satin Finish, should any deep scratches occur. (Available through most building supply and hardware stores, and many luxury kitchen showrooms.)

